



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER	FILING DATE	FIRST NAME APPLICANT	ATTORNEY DOCKET NUMBER
09/653130	08/31/2000	Al Gilbertson	166030-0007

Bruce A Kaser Miller Nash LLP 4400 Two Union Square 601 Union Street Seattle, WA 98101-2352 RECEIVED

Art Unit

Examiner: Metzmaier, Daniel S

JUN 2 4 2004

28772

Paper Number

MILLER NASHILP

Date Mailed: June 21, 2004

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on August 31, 2000 still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO:

Commissioner for Patents P.O. Box 1450

Alexandria, Virginia 22313-1450

Form TO-948 (Rev. 06/03)

Application No._____

09/653130

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

Lategories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Prassures, alterations, overwritings. interlineations, folds, copy maghine regize and raccepted. Fig(s) Fig(s) To my 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) Ald drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cp Act 2.5 cm/kglipt 1.5 cm poom 1 promy Magins not acceptable. Fig(s) Top 3.7 cp R.184(f) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible Fig(s) Numbers and reference characters not plain and legible Fig(s) Numbers and reference characters not oriented the same directings the view. 37 CFR 1.84(p) (2) Fig(s) Numbers not acceptable Fig(s) Numbers not acceptable Fig(s) Numbers not acceptable or properly. Fig(s) Numbers not acceptable or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) OMMENTS: OMMENTS:	1. DRAWINGS. 37 CFR 1.84(a): Acceptable	8. ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)	
Color drawings are not acceptable until petition is granted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) 3. TYPE OPPAPER 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machiner spate not accepted. Fig(s) 4. SIZE OF PAPER 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g). Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Posom 1 pm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) CViews not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)			
Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Poor quality (half-tone). Fig(s) TYPE OPPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) L10. orm by 2.7.9 cm (BIN size A4) or. 21.0 cm by 2.7.9 cm (BIN size A4) or. 21.0 cm by 2.7.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top/2.5 cpt_left 2.5 cm/kight 1.5 cm Borom Draw Margins not acceptable. Fig(s) Top/2.5 cpt_left 2.5 cm/kight 1.5 cm Borom Draw Margins not acceptable. Fig(s) Top/3. Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not promitted exceptable margins: Top/2.5 cpt. Left 2.5 cm/kight 1.5 cm Borom Draw Margins not acceptable margins: Top/2.5 cpt_left 2.5 cm/kight 1.5 cm Borom Draw Margins not acceptable is provided to the same size. Sheet(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Solid black brace paracters not oriented it the same direction as the view. 37 CFR 1.84(p) Solid black provided in the providing without crowding when drawing is reduced in size to two-thing in the providing without crowdi		fachion when page is either unright or turned so	
granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Fig(s) A SIZE OF PAPER 37 CFR 1.84(f). Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) SharkGINS. 37 CFR 1.84(f). Acceptable margins: Top/2.5 cpt.lef 2.5 cm Right 1.5 cm BOTOM I Drm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(f). Sceptable margins: the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exwhen used to represent the color black as well a color contrast. Fig(s)			
Pencil and non black ink not permitted. Fig(s) 2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 37 CFR 1.84(f). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Frasures, alterations, overwritings. interlineations, folds, copy machine marks and accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bordom I. Drn Magins not acceptable. Fig(s) Top 17 Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) Solid black shading not permitted. Fig(s) Is and reference characters not plain and legible. Fig(s) Sig(s) Numbers and reference characters not plain and legible. Fig(s)			
2. PHOTOGRAPHS. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 2. TYPE OFPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Pig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine spacks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) SharkGins. 37 CFR 1.84(f): Acceptable margins: Top/2.5 cpt.left.2.5 cm/Right 1.5 cm Botom I Drawings into acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig IB and Fig. IC, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exew when used to represent the color black as well a color contrast. Fig(s)	Paneil and non block ink not normitted. Fig(s)		
One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f), Fig(s) Poor quality (half-tone), Fig(s) 3. TYPE OPPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Pig(s) Erasures, alterations, overwritings. interlineations, folds, copy maghine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (B I/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 25 cm Left 2.5 cm Right 1.5 cm Borom 1 Drawings and reference characters not oriented the same directions to the same directions to the same size. Sheet(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface seahading shown not appropriate. Fig(s) Solid black surface seahading shown not appropriate. Fig(s) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface seahading shown not appropriate. Fig(s) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Sheets not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface seahading shown not appropriate. Fig(s) Solid black surface and reference characters not oriented the same directions at the same directions to the same directions			
Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OFPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine parts not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21. 0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers letters and reference characters must at least 32 cm (1/8 inch)			
Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OP PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings: interlineations, folds, copy machine parks and accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top 2.5 cp. Left 2.5 cm. Kight 1.5 cm. Deform 1.5 m. Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings must likewise be changed. Views not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Paper not flexible, strong, white, and durable. Let Piers, 37 CFR 1.84(l) Lines, numbers & letters not uniformly thick an well defined, clean, durable, and lack goor ling quality). Fig(s) Solid black shading not permitted. Fig(s) 11. SHADING. 37 CFR 1.84(n) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s)			
37 CFR 1.84(f). Fig(s) 3. TYPE OPPAPER 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 1. STAD FORPER 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Porom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) 1. Lead lines missing. Fig(s) 1. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 1. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
Poor quality (half-tone). Fig(s) 3. TYPE OPPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (7) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Sheet(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
3. TYPE OPPAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable. Pig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks pool accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1 A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Margins not acceptable size. Fig(s) Solid black standing not permitted. Fig(s) Numbers and reference characters not uniformly thick an well defined, clean, durable, and black fgoor liquality). Fig(s) 11. SHADING. 37 CFR 1.84(ff) Solid black standing not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not price the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not price the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers in the view. 37 CFR 1.84(p)(2) Fig(s) Numbers in the view. 37 CFR 1.84(p)(2) Fig(s) Numbers in the view.		10. CHARACTER OF LINES, NUMBERS, &	
Paper not flexible, strong, white, and durable. Pig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine made not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Numbers, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arat numbers beginning with number 1. Sheet(s) Solid black stading not permitted exe when used to represent the color black as well a color contrast. Fig(s)			
programment of the same direction and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) at least 32 cm (1/8 inch) in height 37 CFR 1.84(p) specification at the Brief Description of the Drawings must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine markers of solid black surface shading not permitted. Fig(s) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and			
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or: 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Porom 1 p.m. Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) 11. SHADING. 37 CFR 1.84(f) Solid black areas pale. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers, letters and reference characters not plain and legible. Fig(s) Numbers, letters and reference characters not plain and legible. Fig(s) Numbers, letters and reference characters not plain and legible. Fig(s) Numbers not acceptable. Fig(s) Numbers not acceptable. Fig(s) Numbers not			
folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPEŘ. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Shapk GINS. 37 CFR 1/84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bolom I.Dm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) As Ectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) Linumbers, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Lend lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Solid black streating not permitted. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arat numbers beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arat numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arat numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and			
Solid black shading not permitted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or: 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Right 1.5 cm proform 1.0 cm Magins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTLERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Legalins alphabet not used. 37 CFR 1.84(p)(2) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numberals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numberals, beginning with number 1. Fig(s) 16. DESIGN DRAW			
4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or. 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Right 1.5 cm Porom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and r			
Sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 184(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Right 1.5 cm 2000m 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exceptable for the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic or Roman numbers. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exceptable for the color black as well a color contrast. Fig(s)			
21.0 cm by 29.7 cm (DIN size A4) or; 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1/84(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not plain and legible Fig(s) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible Fig(s) Legible Fig(s) Figure legends are poor. Fig(s) Legible Fig(s) Sundaera the view. 37 CFR 1.84(p) Lead lines missing. Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	•		
21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 184(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/kight 1.5 cm por mile than the same direction as the view. 37 CFR 1.84(p) Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	The state of the s		
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 184(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Right 1.5 cm potom 10 mm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted except the same direction and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arabnumerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabnumerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted except the color black as well a color contrast. Fig(s)			
Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 184(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Potent 1.9 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
the same direction as the view. 37 CFR 1.84(p) 5. MARGINS. 37 CFR 1/84(g): Acceptable margins: Top 2.5 cm/Left 2.5 cm/Right 1.5 cm form 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
Fig(s) S. MARGINS. 37 CFR 1/84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Borom 1.0 cm Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exewhen used to represent the color black as well a color contrast. Fig(s)			
Top 2.5 cm/Left 2.5 cm/Right 1.5 cm Porton 1.1 cm Magins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exception of the color black as well a color contrast. Fig(s)			
Top (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 1. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(t) Sheets not numbered consecutively, and in Arab numbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	Top 2.5 cm Left 2.5 cm/Right 1.5 cm Pottom 1.0 cm		
Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exception to drawing require revision to 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(u) Sheets not numbered consecutively, and in Arabic numerals, beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Arabic numerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exception of the Drawings, and in Arabic numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exception of the Drawings, and in Arabic numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exception of the Drawings, and in Arabic numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exception of the Drawings, and in Arabic numerals, beginning with number 1. Fig(s) Solid black surface shading is not permitted exception of the Drawings, and in Arabic numerals, beginning with number 1. Fig(s)			
1.84(p)(3). Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)			
REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed.			
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)			
changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)			
specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)			
must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Arabinumbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabinumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exception when used to represent the color black as well a color contrast. Fig(s)			
views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
Fig(s)			
7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)			
Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Brig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted excewhen used to represent the color black as well a color contrast. Fig(s)	Fig(s)		
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3)		
Arabic or Roman numbers. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	Sectional designation should be noted with		
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)			
Solid black surface shading is not permitted exc when used to represent the color black as well a color contrast. Fig(s)	3(-7		
when used to represent the color black as well a color contrast. Fig(s)			
color contrast. Fig(s)			
OMMENTS:	· · · · · · · · · · · · · · · · · · ·	color contrast. Fig(s)	
	OMMENTS:		
		•	
	_	,	
	wer	Date 6	
Wei	u have questions, call (703) 305-8404.	Attachment to Paper No. L	



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

B IFW

Inventor:

Al Gilbertson

Assignee:

EightStar Diamond Company, Inc.

Filing Date:

08/31/2000

Title: DEVICE FOR JUDGING SYMMETRY,

BRIGHTNESS, AND EFFICIENCY OF LIGHT

RETURN IN PRECIOUS STONES

Application Serial No.: 09/653,130

Attorney Docket No.: 530010-0009

CERTIFICATE OF MAILING

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

The following documents are today being deposited with the United States Postal Service "Express Mail Post Office to Addressee" (EV 309800911 US) service under 37 C.F.R. 1.10 in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450:

- 1. Transmittal Form PTO/SB/21;
- 2. Statement of No New Matter;
- 3. Nine (9) pages of formal drawings;
- 4. Copy of Notice Regarding Drawings;
- 5. Certificate of Mailing; and
- 6. Itemized Return Receipt Postcard.

Signed at Seattle, Washington this 12th day of July, 2004

Respectfully submitted,

By:

Devon W. Ryning

Reg. No. 48,579

Miller Nash LLP

4400 Two Union Square

601 Union Street

Seattle, WA 98101

Phone: (206) 622-8484

Fax: (206) 622-7485

PTO/SB/21 (02-04) Approved for use through 07/31/2006. OMB 0651-0031 U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE der the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. **Application Number** 09/653,130 Filing Date TRANSMITTAL 08/31/2000 **FORM** First Named Inventor Gilbertson, Al Art Unit 28772 (to be used for all correspondence after initial filing) Examiner Name Metzmaier, Daniel S. Attorney Docket Number 13 530010-0009 Total Number of Pages in This Submission **ENCLOSURES** (Check all that apply) After Allowance communication Fee Transmittal Form Drawing(s) to Technology Center (TC) Appeal Communication to Board Licensing-related Papers Fee Attached of Appeals and Interferences Appeal Communication to TC Petition (Appeal Notice, Brief, Reply Brief) Amendment/Reply Petition to Convert to a Proprietary Information After Final Provisional Application Power of Attorney, Revocation Status Letter Affidavits/declaration(s) Change of Correspondence Address Other Enclosure(s) (please Terminal Disclaimer **Extension of Time Request** Identify below): Statement of No New Matter, Copy of Notice Request for Refund **Express Abandonment Request** Regarding Drawings, Certificate of Mailing, Return Receipt Postcard CD, Number of CD(s) Information Disclosure Statement Remarks Certified Copy of Priority Document(s) Response to Missing Parts/ Incomplete Application Response to Missing Parts under 37 CFR 1.52 or 1.53 SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT Firm Devon W. Ryning (48,579) Individual name Signature Date July 12, 2004 CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below. Typed or printed name

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Signature

Date



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE PATENT APPLICATION EXAMINING OPERATIONS

Applicant: Al Gilbertson

Group Art Unit: 28772

Assignee:

EightStar Diamond Company, Inc.

Examiner: Metzmaier, Daniel S.

Serial No.

09/653,130

Filed

08/31/2000

Title

DEVICE FOR JUDGING SYMMETRY, BRIGHTNESS, AND EFFICIENCY

OF LIGHT RETURN IN PRECIOUS STONES

STATEMENT OF NO NEW MATTER

Miller Nash LLP 4400 Two Union Square 601 Union Street Seattle, Washington 98101

July 12, 2004

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir or Madam:

In response to the Notice Regarding Drawings mailed on June 21, 2004, applicant herewith submits formal drawings for FIGS. 1-13. Applicant respectfully submits that no new matter has been added in the formal drawings submitted herewith. The applicant therefore requests issuance of this application.

The person making this statement is the attorney who signs below on the basis of the information supplied by the inventor and the information in the file.

Respectfully submitted,

Devon W. Ryning

Registration No. 48,579

Miller Nash LLP

4400 Two Union Square

601 Union Street Seattle, WA 98101

Telephone: (206) 622-8484

Fax: (206) 622-7485